

DUES® | contract

PAPEL TAPIZ

dues.com.mx



Índice

Index

Diseño Liso - Industrial

Plain Design - Industrial

3

Diseño con Textura

Textured Design

6

Diseño Abstracto

Abstract Design

33

Diseño Geométrico

Geometric Design

42



CEMENT

Diseño Industrial

Random | Reverse Hang Random




Tono: Sphynx

DUES® | contract



Cement Paver Grey




Cement Nocturn



Cement Sphynx



Cement Grove



Cement Alpine



Cement Glaze



Cement Primer



Cement Silo

Especificaciones técnicas

Technical specifications

DISEÑO	Cement 54	DESIGN	Cement 54
MATERIAL	Tipo II 20oz Vinil	MATERIAL	Type II 20oz Vinyl
ANCHO DE ROLLO	137 cm	ROLL WIDTH	54 in
LARGO DE ROLLO	27.4 m	ROLL LENGHT	30 yd
ÁREA DE ROLLO	37.6 m ²	ROLL AREA	405 ft ²
REPETICIÓN	No aplica	DESIGN REPEAT	None
ESTILO	Industrial	DESIGN STYLE	Industrial



NFPA
Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



**Flame Spread 25/
Smoke Develop 20**
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications

SILK


Diseño con Textura

Random | Reverse Hang Random




DUES® | contract

Tono: Napa




Silk Napa




Silk Sovereign




Silk Titian




Silk Bundled Sage




Silk Quiet Apricot




Silk Oolong



Silk Beryl Blue



Silk Mink




Silk Wind Chill




Silk Blanch




Silk Burnt Orange




Silk Fawn




Silk Hyacinth



Silk Marengo



Silk Monarch




Silk Venus




Silk Jasper




Silk Golden Sable




Silk Bluf




Silk Moxie




Silk Seedling



Silk Balmy Oak



Silk Palisade



Silk Mineral

Especificaciones técnicas

Technical specifications

DISEÑO	Silk 54	DESIGN	Silk 54
MATERIAL	Tipo II 20oz Vinil	MATERIAL	Type II 20oz Vinyl
ANCHO DE ROLLO	137 cm	ROLL WIDTH	54 in
LARGO DE ROLLO	27.4 m	ROLL LENGHT	30 yd
ÁREA DE ROLLO	37.6 m ²	ROLL AREA	405 ft ²
REPETICIÓN	No aplica	DESIGN REPEAT	None
ESTILO	Texturas	DESIGN STYLE	Textures



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications

TAILOR MADE VERTICAL

Diseño con Textura
Random | Reverse Hang Random




Tono: Sycamore




Tailor Made Vertical Babys Breath



Tailor Made Vertical Odyssey




Tailor Made Vertical Vert




Tailor Made Vertical Down Feather



Tailor Made Vertical Birch Bark



Tailor Made Vertical Earthen




Tailor Made Vertical Silo




Tailor Made Vertical Obsidian



Tailor Made Vertical Sycamore



Tailor Made Vertical Wild Truffle




Tailor Made Vertical Willow




Tailor Made Vertical Voya



Tailor Made Vertical Calcium



Tailor Made Vertical Nectar



Tailor Made Vertical Cinema



Tailor Made Vertical Honey Maple

Especificaciones técnicas

Technical specifications

DISEÑO	Tailor Made Vertical 54	DESIGN	Tailor Made Vertical 54
MATERIAL	Tipo II 20oz Vinil	MATERIAL	Type II 20oz Vinyl
ANCHO DE ROLLO	137 cm	ROLL WIDTH	54 in
LARGO DE ROLLO	27.4 m	ROLL LENGHT	30 yd
ÁREA DE ROLLO	37.6 m ²	ROLL AREA	405 ft ²
REPETICIÓN	No Aplica	DESIGN REPEAT	None
ESTILO	Texturas	DESIGN STYLE	Textures



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications


LINEN

Diseño con Textura
Random | Reverse Hang Random




Tono: Mallard Teal


DUES® | contract




Linen Avail




Linen Nautical




Linen Floret




Linen Mallard Teal




Linen Abaca




Linen Thicket




Linen Smoked Oyster




Linen Sap




Linen Minted




Linen Wafer




Linen Bon Bon




Linen Crystal




Linen Skim



Linen Sandstorm



Linen Regal Blue



Linen Manila

Especificaciones técnicas

Technical specifications

DISEÑO	Linen 54	DESIGN	Linen 54
MATERIAL	Tipo II 20oz Vinil	MATERIAL	Type II 20oz Vinyl
ANCHO DE ROLLO	137 cm	ROLL WIDTH	54 in
LARGO DE ROLLO	27.4 m	ROLL LENGHT	30 yd
ÁREA DE ROLLO	37.6 m ²	ROLL AREA	405 ft ²
REPETICIÓN	No aplica	DESIGN REPEAT	None
ESTILO	Texturas	DESIGN STYLE	Textures



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications

SISAL

Diseño con Textura
Random | Reverse Hang Random




Tono: Meadow

DUES® | contract




Sisal Caster Sugar




Sisal Roca




Sisal Rooibos



Sisal Calm Waters




Sisal En Blanc




Sisal Mirage




Sisal Greyhound




Sisal Alpha



Sisal Raw Umber




Sisal Meadow




Sisal Woodland




Sisal Caspian




Sisal Campfire Smoke



Sisal Spanner



Sisal Resort



Sisal Yerba

Especificaciones técnicas

Technical specifications

DISEÑO	Sisal 54	<i>DESIGN</i>	<i>Sisal 54</i>
MATERIAL	Tipo II 20oz Vinil	<i>MATERIAL</i>	<i>Type II 20oz Vinyl</i>
ANCHO DE ROLLO	137 cm	<i>ROLL WIDTH</i>	<i>54 in</i>
LARGO DE ROLLO	27.4 m	<i>ROLL LENGHT</i>	<i>30 yd</i>
ÁREA DE ROLLO	37.6 m ²	<i>ROLL AREA</i>	<i>405 ft²</i>
REPETICIÓN	No Aplica	<i>DESIGN REPEAT</i>	<i>None</i>
ESTILO	Texturas	<i>DESIGN STYLE</i>	<i>Textures</i>



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications

LOHJA

Diseño con Textura
Random | Reverse Hang Random



Tono: Rain


DUES® | contract



Lohja Graphite



Lohja Morning at Sea



Lohja Jade




Lohja Cryslas



Lohja Volcanic



Lohja Rain



Lohja Winter White



Lohja Soft Gray

Especificaciones técnicas

Technical specifications

DISEÑO	Lohja 27	<i>DESIGN</i>	<i>Lohja 27</i>
MATERIAL	Tipo II 20oz Vinil	<i>MATERIAL</i>	<i>Type II 20oz Vinyl</i>
ANCHO DE ROLLO	68.5 cm	<i>ROLL WIDTH</i>	<i>27 in</i>
LARGO DE ROLLO	8.2 m	<i>ROLL LENGHT</i>	<i>9 yd</i>
ÁREA DE ROLLO	5.6 m ²	<i>ROLL AREA</i>	<i>60.8 ft²</i>
REPETICIÓN	53 cm	<i>DESIGN REPEAT</i>	<i>20.8 in</i>
ESTILO	Texturas	<i>DESIGN STYLE</i>	<i>Textures</i>



EN 15102:2007+A1:2011
CE Mark Product
Certification

HORIZON PLAIN

Diseño con Textura
Random | Reverse Hang Random




Tono: Zen Green

DUES® | contract




Horizon Plain Mallow



Horizon Plain Offshore



Horizon Plain Tahitian



Horizon Plain Nougat



Horizon Plain Sassafras




Horizon Plain Chenille



Horizon Plain Evaporation



Horizon Plain Bengal Bay




Horizon Plain Zen Green



Horizon Plain Nomad



Horizon Plain Fog Horn



Horizon Plain Ethereal Blue



Horizon Plain White Truffle



Horizon Plain Valley Grey



Horizon Plain Misty Coast



Horizon Plain Pebble

Especificaciones técnicas

Technical specifications

DISEÑO	Horizon Plain 54	<i>DESIGN</i>	<i>Horizon Plain 54</i>
MATERIAL	Tipo II 20oz Vinil	<i>MATERIAL</i>	<i>Type II 20oz Vinyl</i>
ANCHO DE ROLLO	137 cm	<i>ROLL WIDTH</i>	<i>54 in</i>
LARGO DE ROLLO	27.4 m	<i>ROLL LENGHT</i>	<i>30 yd</i>
ÁREA DE ROLLO	37.6 m ²	<i>ROLL AREA</i>	<i>405 ft²</i>
REPETICIÓN	No aplica	<i>DESIGN REPEAT</i>	<i>None</i>
ESTILO	Texturas	<i>DESIGN STYLE</i>	<i>Textures</i>



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications

SALO

Diseño con Textura

Random | Random Reverse Hang



Tono: Boulder

DUES® | contract



Salo Black Ice



Salo Rice Paper



Salo Shale



Salo Latte



Salo Boulder



Salo Paper



Salo Gray Brown



Salo Rhino

Especificaciones técnicas

Technical specifications

DISEÑO	Salo 27	<i>DESIGN</i>	<i>Salo 27</i>
MATERIAL	Tipo II 20oz Vinil	<i>MATERIAL</i>	<i>Type II 20oz Vinyl</i>
ANCHO DE ROLLO	68.5 cm	<i>ROLL WIDTH</i>	<i>27 in</i>
LARGO DE ROLLO	8.2 m	<i>ROLL LENGHT</i>	<i>9 yd</i>
ÁREA DE ROLLO	5.6 m ²	<i>ROLL AREA</i>	<i>60.8 ft²</i>
REPETICIÓN	No aplica	<i>DESIGN REPEAT</i>	<i>None</i>
ESTILO	Texturas	<i>DESIGN STYLE</i>	<i>Textures</i>



EN 15102:2007+A1:2011
CE Mark Product
Certification

HORIZON

Diseño Abstracto

38.1 cm | Reverse Hang | Straight

Tono: Bengal Bay

DUES® | contract




Horizon Offshore




Horizon Tahitian



Horizon Nougat



Horizon Evaporation



Horizon Bengal Bay

Especificaciones técnicas

Technical specifications

DISEÑO	Horizon 54	DESIGN	Horizon 54
MATERIAL	Tipo II 20oz Vinil	MATERIAL	Type II 20oz Vinyl
ANCHO DE ROLLO	137 cm	ROLL WIDTH	54 in
LARGO DE ROLLO	27.4 m	ROLL LENGHT	30 yd
ÁREA DE ROLLO	37.6 m ²	ROLL AREA	405 ft ²
REPETICIÓN	38.1 cm	DESIGN REPEAT	15 in
ESTILO	Abstractos	DESIGN STYLE	Abstracts



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications

FOUNDATION

Diseño Industrial
50.8 cm | Straight

Tono: Grove

DUES® | contract



Foundation Alpine



Foundation Nocturne



Foundation Sphinx



Foundation Grove



Foundation Ember

Especificaciones técnicas

Technical specifications

DISEÑO	Foundation 54	<i>DESIGN</i>	<i>Foundation 54</i>
MATERIAL	Tipo II 20oz Vinil	<i>MATERIAL</i>	<i>Type II 20oz Vinyl</i>
ANCHO DE ROLLO	137 cm	<i>ROLL WIDTH</i>	<i>54 in</i>
LARGO DE ROLLO	27.4 m	<i>ROLL LENGHT</i>	<i>30 yd</i>
ÁREA DE ROLLO	37.6 m ²	<i>ROLL AREA</i>	<i>405 ft²</i>
REPETICIÓN	No aplica	<i>DESIGN REPEAT</i>	<i>None</i>
ESTILO	Industrial	<i>DESIGN STYLE</i>	<i>Industrial</i>



*Passes
Corner Burn Test
(NFPA 286)*



*EN 15102:2007+A1:2011
CE Mark Product
Certification*



*EN 13501
Reaction to Fire*



*Flame Spread 25/
Smoke Develop 20
Fire Rating*



*Exceeds CCC-W-408D
GSA Federal
Specifications*


SILK MISTRAL

Diseño Abstracto
50.8 cm | Straight




Tono: Bluff

DUES® | contract



Silk Mistral Mink



Silk Mistral Seeding



Silk Mistral Monarch



Silk Mistral Blanch



Silk Mistral Bluff

Especificaciones técnicas

Technical specifications

DISEÑO	Silk Mistral 54	<i>DESIGN</i>	<i>Silk Mistral 54</i>
MATERIAL	Tipo II 20oz Vinil	<i>MATERIAL</i>	<i>Type II 20oz Vinyl</i>
ANCHO DE ROLLO	137 cm	<i>ROLL WIDTH</i>	<i>54 in</i>
LARGO DE ROLLO	27.4 m	<i>ROLL LENGHT</i>	<i>30 yd</i>
ÁREA DE ROLLO	37.6 m ²	<i>ROLL AREA</i>	<i>405 ft²</i>
REPETICIÓN	50.8 cm	<i>DESIGN REPEAT</i>	<i>20 in</i>
ESTILO	Abstractos	<i>DESIGN STYLE</i>	<i>Abstracts</i>



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications

CHEVRON WOOD

Diseño Geométrico
Random | Random

Tono: Bister



DUES® | contract



Chevron Wood Aura



Chevron Wood Baikal



Chevron Wood Crest



Chevron Wood Wintergreen



Chevron Wood Bister



Chevron Wood Veneer



Chevron Wood Sere



Chevron Wood Apex

Especificaciones técnicas

Technical specifications

DISEÑO	Chevron Wood 54	DESIGN	Chevron Wood 54
MATERIAL	Tipo II 20oz Vinil	MATERIAL	Type II 20oz Vinyl
ANCHO DE ROLLO	137 cm	ROLL WIDTH	54 in
LARGO DE ROLLO	27.4 m	ROLL LENGHT	30 yd
ÁREA DE ROLLO	37.6 m ²	ROLL AREA	405 ft ²
REPETICIÓN	No aplica	DESIGN REPEAT	None
ESTILO	Geométricos	DESIGN STYLE	Geometrics



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications


LAHTI

Diseño Geométrico

50.8 cm | Straight

Tono: Artic White

DUES® | contract




Lahti Contrasto



Lahti Stardew



Lahti Cappuccino



Lahti Black Tan



Lahti Natural Gray



Lahti Artic White

Especificaciones técnicas

Technical specifications

DISEÑO	Lahti27	<i>DESIGN</i>	<i>Lahti 27</i>
MATERIAL	Tipo II 20oz Vinil	<i>MATERIAL</i>	<i>Type II 20oz Vinyl</i>
ANCHO DE ROLLO	68.5 cm	<i>ROLL WIDTH</i>	<i>27 in</i>
LARGO DE ROLLO	8.2 m	<i>ROLL LENGHT</i>	<i>9 yd</i>
ÁREA DE ROLLO	5.6 m ²	<i>ROLL AREA</i>	<i>60.8 ft²</i>
REPETICIÓN	53 cm	<i>DESIGN REPEAT</i>	<i>20.8 in</i>
ESTILO	Geométricos	<i>DESIGN STYLE</i>	<i>Geometrics</i>



EN 15102:2007+A1:2011
CE Mark Product
Certification

PINACLE

Diseño Geométrico
50.8 cm | Straight



Tono: Oolong

DUES® | contract



Pinacle Napa



Pinacle Sovereign



Pinacle Titian



Pinacle Oolong



Pinacle Mink

Especificaciones técnicas

Technical specifications

DISEÑO	Pinacle 54	<i>DESIGN</i>	<i>Pinacle 54</i>
MATERIAL	Tipo II 20oz Vinil	<i>MATERIAL</i>	<i>Type II 20oz Vinyl</i>
ANCHO DE ROLLO	137 cm	<i>ROLL WIDTH</i>	<i>54 in</i>
LARGO DE ROLLO	27.4 m	<i>ROLL LENGHT</i>	<i>30 yd</i>
ÁREA DE ROLLO	37.6 m ²	<i>ROLL AREA</i>	<i>405 ft²</i>
REPETICIÓN	No aplica	<i>DESIGN REPEAT</i>	<i>None</i>
ESTILO	Geométricos	<i>DESIGN STYLE</i>	<i>Geometrics</i>



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications

TRELLIS

Diseño Geométrico
50.8 cm | Reverse Hang | Straight





Trellis Nautical



Trellis Abaca



Trellis Smoked Oyster



Trellis Bon Bon

Especificaciones técnicas

Technical specifications

DISEÑO	Trellis 54	<i>DESIGN</i>	<i>Trellis 54</i>
MATERIAL	Tipo II 20oz Vinyl	<i>MATERIAL</i>	<i>Type II 20oz Vinyl</i>
ANCHO DE ROLLO	137 cm	<i>ROLL WIDTH</i>	<i>54 in</i>
LARGO DE ROLLO	27.4 m	<i>ROLL LENGHT</i>	<i>30 yd</i>
ÁREA DE ROLLO	37.6 m ²	<i>ROLL AREA</i>	<i>405 ft²</i>
REPETICIÓN	50.8 cm	<i>DESIGN REPEAT</i>	<i>20 in</i>
ESTILO	Geométricos	<i>DESIGN STYLE</i>	<i>Geometrics</i>



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications

BASKETWEAVE

Diseño a Cuadros
50.8 cm | Reverse Hang | Straight

Tono: Raw Umber

DUES® | contract



Basketweave Alpha



Basketweave Caster Sugar



Basketweave Greyhound



Basketweave Mirage



Basketweave Raw Umber



Basketweave Yerba

Especificaciones técnicas

Technical specifications

DISEÑO	Basketweave 54	DESIGN	Basketweave 54
MATERIAL	Tipo II 20oz Vinil	MATERIAL	Type II 20oz Vinyl
ANCHO DE ROLLO	137 cm	ROLL WIDTH	54 in
LARGO DE ROLLO	27.4 m	ROLL LENGHT	30 yd
ÁREA DE ROLLO	37.6 m ²	ROLL AREA	405 ft ²
REPETICIÓN	50.8 cm	DESIGN REPEAT	20 in
ESTILO	A Cuadros	DESIGN STYLE	Plaids



Passes
Corner Burn Test
(NFPA 286)



EN 15102:2007+A1:2011
CE Mark Product
Certification



EN 13501
Reaction to Fire



Flame Spread 25/
Smoke Develop 20
Fire Rating



Exceeds CCC-W-408D
GSA Federal
Specifications